



PACOMAT III

NEW

**CHANNEL BALING PRESS
WITH HORIZONTAL WIRE TYING SYSTEM**

Technical data and measurements

PACOMAT

pressing force
spec. pressing force
tunnel cross section
hopper opening
feeding volume
number of wires
driving power
press output (ideal)
press output (under load)
press capacity (weight)
(in relation to bulk weight)

- 35 kg/m³ e.g. flattened OCC
- 50 kg/m³ e.g. shredded paper

baler weight (according to equipment)

kN
N/cm²
cm
cm
ca. m³
pieces
kW
max. m³/h
max. m³/h


ca. t/h
ca. t/h
ca. t

III-35 C			III-50 C			III-65 C				
356			485			633				
47			65			84				
75 x 100			75 x 100			75 x 100				
100 x 92			120 x 92			140 x 92				
0,95			1,05			1,25				
4			4			4				
11	22	30	22	30	45	22	30	45	75	
205	350	440	295	365	600	235	305	530	660	
80	140	185	125	170	225	105	150	205	295	
2,8			4,4			3,7			7,2	
3,8			6,0			5,0			9,9	
11			12			13				

Dimension in mm	A	B	C	D	E	G	H	I	K	L	M	N	O	P	R
PACOMAT III-35 C	7535	1989	4637	1000	3475	3975	3560	2437	290	750	3300	920	810	1000	3085
PACOMAT III-50 C	7962	1989	4657	1200	3475	4075	3887	2457	310	750	3300	920	810	1000	3085
PACOMAT III-65 C	8699	1989	4657	1400	3720	4420	4279	2457	310	750	3300	920	810	1000	3085

Additional FEATURES of the new PACOMAT:

- Wear plates of specialty steel for press chamber bottom increase the lifetime of the press. They are bolted for easy replacement.
- New DENSITRONIC control system for tunnel adjustment provides for better response to various material grades.
- The new Touch Panel TP 177 facilitates the operation of the machine through recipe management and a comprehensive display of data.
- To make maintenance easy, the pressure plate is provided with grouped nipples for lubrication of all rollers.



www.paalgroup.com

PAAL®

PAAL GmbH
Raiffeisenstraße 15-17
49124 Georgsmarienhütte
Germany

Tel.: +49 (0) 5401 488 0
Fax.: +49 (0) 5401 488 13
info@paalgroup.com

FAES®

Amadeo Farell S.A.U.
Polígono Industrial Can Carné
Calle Montsià s/n, P.O. Box 125
08211 Castellar del Vallés
Spain

Tel.: +34 937 143 210
Fax.: +34 937 143 169
info@faesnet.net

DICOM

Dicom Ltd.
Lydford Road
Meadow Lane Industrial Estate
Alfreton, Derbyshire DE55 7RQ
Great Britain

Tel.: +44 (0) 177 352 0565
Fax.: +44 (0) 177 352 0881
sales@dicom.ltd.uk

COMDEC

COMDECPAAL
9, rue Gustave Eiffel
21540 Sombornon
France

Tel.: +33 (0) 3 80 33 49 26
Fax.: +33 (0) 3 80 33 42 43
com@comdec-paal.com